

# Quad® 815

Clay mitigating admixture

## DESCRIPTION

Quad® 815 is a chemical admixture specifically designed and formulated to meet the needs of the concrete producer. It is designed to selectively react with clay contaminants in both coarse and fine aggregates.

This highly engineered product can eliminate the negative effect of clays in concrete through irreversible chemical reaction. Quad® 815 does not contain TEA or added chlorides. Quad® 815 complies with AS 1478 as a Type SN.

## BENEFITS

- Uses latest technology to distinguish between beneficial fines and clay contamination, mitigating negative impact of latter
- Use clay bearing aggregates (natural and crushed) without compromising on concrete performance
- Significantly increases manufactured sand amount in mix design
- Increase utilization of lower quality / clay contaminated aggregates
- Significantly improves concrete performance through lowering water demand and concrete admixtures demand by blocking clay particles

## APPLICATION

- Ready mix concrete
- Precast concrete
- Challenging mixes with clay contaminated aggregates

## INDICATIVE INFORMATION

<b>Product Nature</b>	Liquid
<b>Color</b>	Amber
<b>Lifetime</b>	12 months
<b>Specific gravity (kg)</b>	1,080 ± 0,015
<b>pH</b>	6,00 ± 1,50

## PACKAGING

- Bulk
- IBC 1000L
- 205 L Drum
- Pail

## SAFETY

Prior to any use, please read carefully the Safety Data Sheet (SDS).

## METHOD OF USE

### Dosage :

For most clays, dosage of 200 to 300 ml / 100 kg of total cementitious will effectively eliminate the negative effects of clay contamination. These levels can vary due to the type of clay (mineralogy) and the level of contamination.

### Equipment :

Please contact your local Chryso representative for further information regarding the dispensing equipment for this product.

## COMPATIBILITY

- Air-entrainers such as Chryso®Air
- Water reducers such as Chryso®WRDA
- Mid-range water reducers such as Chryso®Mira
- High-range water reducers such as Chryso®Adva
- Rheology modifiers and rheology control admixtures
- When using admixtures in combination, each admixture should be added separately to the mix

## PRECAUTIONS

- Quad® 815 should be stored in a shaded area not exposed to direct sunlight
- Should area's storage be exposed to freezing temperatures, provisions should be made for insulating and heating in order to prevent freezing, excess viscosity and to aid pumpability